



GOVERNMENT OF PAKISTAN
DIRECTORATE GENERAL CUSTOMS VALUATION
CUSTOM HOUSE KARACHI

Valuation
Database
Letter No. 77

No.DG/VDB/REF/77/2016-V

9880

Dated: November 16, 2016

The Collectors of Customs,

Model Customs Collectrates, Appraisement (East/West)/Port Qasim /Preventive, Karachi/
/(Appraisement / Preventive), Lahore/ Sambrial (Sialkot)/Faisalabad/Multan/Islamabad
/Hyderabad/Quetta / Peshawar/ Gwadar/ Gilgit-Baltistan.

Subject: **Development of Valuation Database: Reference Values for Glass Tubing of a kind used for the manufacture of ampoules.**

This Directorate General has initiated an exercise to develop database values for different items wherein it has been observed that declarations are wide range and do not correctly reflect values of the items as traded in the international market. During the scrutiny of previous clearance data, it has been observed that Glass Tubing of a kind used for the manufacture of ampoules falling under PCT headings 7002.3910 are being assessed at different values and certain transactions are on very low side.

2. This Directorate General, after carefully examining the clearance data, also conducted market inquiries to verify the authenticity of declarations. Online prices were also obtained to corroborate the findings of the market surveys. This office, therefore, has found that the customs value of Glass Tubing of a kind used for the manufacture of ampoules as follows:

S. No.	Description of goods	Origin	Customs Value C&F US\$/ Kg
1	2	3	4
1	Clear Glass Tubing of a kind used for the manufacture of ampoules	China	1.05
2	Amber Glass Tubing of a kind used for the manufacture of ampoules	China	1.15
3	Clear Glass Tubing of a kind used for the manufacture of ampoules	Europe	1.71
4	Amber Glass Tubing of a kind used for the manufacture of ampoules	Europe	1.81

3. This value is, however, for reference/guidance only and final assessment may please be made after considering other factors which have bearing on the customs value.

4. The clearance Collectrates may like to consider the values given above before finalizing the assessment of the subject item. If further fine-tuning in specifications and ensuing values are required, Collectrate may forward a reference along with detailed justifications and worksheets so that requisite adjustments are accordingly issued.

(Ch. Rizwan Bashir Kalair)
Deputy Director (HQ)

Copy to

1. Director General, Customs Valuation, Custom House, Karachi
2. Director, Customs Valuation, Custom House, Karachi
3. Additional Directors Valuation I/II, Custom House, Karachi
4. Database Master File, Directorate General of Customs Valuation, Custom House, Karachi